The Cube Course Usage Risk Assessment

Potential Hazards	Potential Outcome	Risk Level Prior to Controls (High, Med, Low)		Risk Level After Controls (High, Med, Low)
General Risks				
Un-authorised use of Cube Course	Falling – broken limbs/ injury/death	Н	No unsupervised access to Cube Course. Warning signs –'Do not use without instructors' If outside, Course enclosed with an 8ft fence. Access ladders locked away.	L
Equipment Failure	Falling – broken limbs/ injury/death		No smoking in the area or when wearing ppe. Equipment checked regularly for wear & tear. Damaged equipment to be removed & destroyed.	L
Objects falling	Broken limbs/injury/ death	Н	Use of helmets at all times. Clients to remove all objects from pockets prior to climbing. If outside, surrounding area checked for dead wood.	L
Harness Failure	Falling – broken limbs/ injury/death	М	Instructional procedure. Instructor checks all participants ppe prior to climbing. Use of chest & sit harness combinations for all users.	L
Entanglement or holding of moving ropes	Rope burn, damaged limbs, death	Н	Instructional procedure. Participants briefed on holding their own knot & no other ropes.	L
Loss of belayer concentration, incorrect belay technique	Falling – broken limbs/ injury/death	Н	Instructional procedure. All lower offs managed by instructors. Instructor holding dead rope or overhand knots tied in dead rope when clients belaying.	L
Holding wire cables & clamps	Cuts & Abrasions	М	Participants not allowed to touch any part of cables.	L
Entrapment in moving parts of course.	Damaged limbs	Н	Participants not allowed to hold onto any areas with joining/moving parts ie. Trolleys on belay wires.	L
Poor Instruction	Falling – broken limbs/ injury/death	М	All staff to complete training with Activate Facilities OR Activate approved training center. Thorough teaching progressions backed up by Operating Procedures & Risk Assessments.	L
Instructor Injuries when accessing	Falling – broken limbs/ injury/death	М	All staff to complete training with Activate Facilities OR Activate approved training center.	L
Participant hitting objects on decent	Bruising/Broken Limbs	Н	Instructional technique. Tight rope at all times. Slow & controlled lowering by the instructor. Participant briefed on using hands & feet to fend off objects whilst being lowered.	L

The Cube Course Usage Risk Assessment

Potential Hazards	Potential Outcome	Risk Level Prior to Controls (High, Med, Low)		Risk Level After Controls (High, Med, Low)
Structural Failure of Cube Course	Broken limbs/injury/ death	М	Regular visual checks by instructors & on site management. Inspections & maintenance by Activate Facilities. Structure designed by qualified engineer.	L
Jacobs Ladder & All Aboard				Г
Twisted Ropes	Bruising/Broken Limbs	Н	Instructional technique. Ropes checked throughout activities.	L
Colliding with other participants	Bruising/Broken Limbs/ Unconsciousness	Н	Instructional Technique. Well managed ropes.	L
Traversing Elements				
Tripping on belay cables	Bruising/Broken Limbs	Н	Instructional Technique. Participants to be made aware of cables & associated risks.	L
The Elements				
Heat	Heat Exhaustion	М	Participants advised to bring/drink fluids.	L
	Dehydration	М	Participants advised to bring/drink fluids.	L
Sunshine	Sunburn/sunstroke	М	Participants advised to bring/wear sunblock.	L
Cold/Wet	Hypothermia	Н	Participants advised to bring waterproofs. Participants advised to wear warm clothes if the weather looks to be cold.	L
Strong Winds - Falling trees/wood	Broken limbs/injury/ death	М	Cube course visually inspected during daily set up. Not to be used during high winds (40mph)	
Electric Storms - Lightening strike	Electrocution/broken limbs/injury/death	М	Cube Course not to be used during electrical storm. There must be a 20 minute wait after lightening has been sighted before use.	L